

1.4

# INDEX MAPS.

**T.9N R.2W 2<sup>nd</sup> Mer.**

	328	328	328	327	327	327	
331	6	343 5	342 4	351 3	353 2	352 1	326
	343	342	341	351	352	349	
330	7	342 8	339 9	337 10	351 11	349 12	326
	341	341	338	350	350	347	
330	18	340 17	338 16	337 15	349 14	347 13	325
	340	339	337	348	348	346	
329	19	339 20	338 21	337 22	348 23	346 24	325
	336	335	334	346	345	345	
329	30	335 29	334 28	332 27	345 26	344 25	325
	336	334	333	332	331	344	
329	31	335 32	333 33	332 34	331 35	344 36	324
	324	324	323	323	323	323	

**T.10N R.2W 2<sup>nd</sup> Mer.**

	362	362	362	360	360-361	359-361	359-361
364	6	377	377	4	3	387 2	389 1 359
	375	375	375	376	377-377	388	389
364	7	376 8	374 9	384 10	11	12	358
	376	373	373-374	383	385	385-387	
364	18	373 17	374 16	382 15	383 14	386 13	358
	372	372	382	382	381	380	
363	19	371 20	371 21	381 22	380 23	379 24	357
	371	369	369	366	379-380	366	
363	30	370 29	369 28	366 27	379 26	365 25	357
	371	370	368	367	378	365-367	
362	31	370 32	368 33	367 34	378 35	365 36	357
	356	356	356	355	355	355	

Meandering 394

Tract No. 9 North Range & No. 2 West 2<sup>nd</sup> Mer. (Ind. 2)

Ch. 1<sup>st</sup> Mer.

South Boundary.

April 6, 1811.

West 1<sup>st</sup> Mile from the cor. to Sec. 36. T. N. 9. R. 2 W. on the South Boundary of sec 36. T. N. 9. R. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 13 in. dia. beam S 37 E 31 links dist; to  
 Do 14 " " " S 53 W. 22 " "

80.00 Set a post for the cor. to Sec. 35 & 36. from N. 9. R. 2 W. from which a  
 Dogwood 5 in. dia. beam S 16 W. 28 links dist; to  
 Do 4 " " " S 16 E. 16 " "  
 Sandalwood timber Oak & Hickory

West 2<sup>nd</sup> Mile on the South Boundary of sec 35. T. N. 9. R. 2 W.

35.00 Iron Post 10 links in; Sec. 35 South

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Oak 10 in. dia. beam S 46 E. 14 links dist; to  
 Dogwood 5 " " " N 87 W. 16 " "

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9. R. 2 W. from which a  
 W. Oak 15 in. dia. beam N 30 W. 7 links dist; to  
 W. Oak 18 " " " S 45 W. 13 " "  
 Sandalwood timber same as in the last mile.

West 3<sup>rd</sup> Mile on the South Boundary of sec. 34 T. N. 9. R. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 12 in. dia. beam S 25 E 13 links dist; to  
 Do 8 " " " N 5 W. 12 " "

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9. R. 2 W. from which a  
 Gum 5 in. dia. beam S 40 W. 12 links dist; to  
 B. Oak 36 " " " N 55 E. 15 " "  
 Sandalwood; Timber Poplar, Sugar, Oak &c.

West 4<sup>th</sup> Mile on the South Boundary of sec. 33. T. N. 9.

T. N. 9. N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind<sup>d</sup>)

N. R. N. 2 W.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 10 in. dia. bore N 22 W. 13 hicks dick; 10  
do 13 n n n S 11 W 30 n n  
80.00 Set a post for the cor. to sec. 32. 133. T. N. 9. N. R.  
N. 2 W. from which a  
Oak 16 in. dia. bore N 25 E. 4 hicks dick; 10  
Sugar 8 n n n S 35 W. 30 n n  
Good lands timber Sugar, Ash, Walnut, &c

- West 5<sup>th</sup> Mile on the South Boundary of sec. 32 T.  
N. 9. N. R. N. 2 W.  
29.00 To a Brook 20 miles wide; Lumber N. W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Elm 5 in. dia. bore S 87 E. 18 hicks dick; 10  
Butternut 12 n n n N 42 W 16 n n  
80.00 Set a post for the cor. to sec. 31 132 T. N. 9. N.  
R. N. 2 W. from which a  
Sugar 12 in. dia. bore S 30 E. 14 hicks dick; 10  
Beck 8 n n n N 12 W 12 n n  
Good soil and timber same as on the last mile.

- West 6<sup>th</sup> Mile on the South Boundary of sec. 31. T. N. 9.  
N. R. N. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 16 in. dia. bore N 26 W 26 hicks dick; 10  
do 4 n n n S 30 E. 5 n n  
80.00 Set a temporary post for Town Cor.

East Boundary. April 4<sup>th</sup> 1811

- North 1<sup>st</sup> Mile from the cor. of T. N. 8 + 9 N. R. N. 1 W.  
W. on the East Boundary of sec 36 T. 9. N. R. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Hick 10 in dia. bore West 18 hicks dick; 10  
Maple 11 n n n N 65 E 83 n n  
60.00 To a W. Oak 14 in. dia. It runs on the line

T. N. 9. N.R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. <sup>o</sup>)

30.00 Set apart for the cor. to Sec. 25. & 26 T. N. 9. N.R.  
N. 2 W. 2<sup>nd</sup> Mer. Ind. <sup>o</sup> from which  $\circ$   
Dogwood 4 in dia. base S35 E. 33 miles dist; 10  
Dogwood 6 in  $\circ$  N33 W. 34  $\circ$   $\circ$   
Sands on the N.  $\frac{1}{2}$  mile First rate; Timber Sugar & Oak  
 $\circ$   $\circ$   $\circ$  2<sup>nd</sup>  $\circ$   $\circ$  level  $\circ$   $\circ$   $\circ$

North 2<sup>nd</sup> Mile on the East Boundary of Sec 25. T. N. 9.  
N. 2 W.

38.00 Iron Brook 10 miles dist; course S.E.

40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. from which  $\circ$   
W. Oak 14 in dia. base S50 E. 18 miles dist; 10  
W. Oak 11  $\circ$   $\circ$   $\circ$  N79 W. 10  $\circ$   $\circ$

66.00 Iron Whisk 14 in dia. Stands on the line.

80.00 Set apart for the cor. to Sec. 24 & 25. T. N. 9. N.  
N. 2 W. from which  $\circ$   
Whisk 12 in dia. base N50 E. 20 miles dist; 10  
Buck 12  $\circ$   $\circ$   $\circ$  S74 W. 26  $\circ$   $\circ$   
Sands soil and timber same as on the last mile.

North 3<sup>rd</sup> Mile on the East Boundary of Sec 24 T. N. 9. N.  
N. 2 W.

22.50 Iron Brook 12 miles dist. course S.E.

40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. from which  $\circ$   
Maple 14 in dia. base S10 E. 29 miles dist; 10  
Poplar 25  $\circ$   $\circ$   $\circ$  S75 W. 10  $\circ$   $\circ$

69.50 Iron Walnut 13 in dia. Stands on the line.

80.00 Set apart for the cor. to Sec. 13 & 24 T. N. 9. N.  
N. 2 W. from which  $\circ$   
B. Oak 18 in dia. base N46 W. 20 miles dist; 10  
Dogwood 4 in  $\circ$   $\circ$   $\circ$  S59 W. 12  $\circ$   $\circ$   
Grove Oak Sands;

North 4<sup>th</sup> Mile on the East Boundary of Sec. 13. T. N. 9.  
N. 2 W.

23.50 Iron Whisk 18 in dia. Stands on the line.



## T. N. 9 N. R. N. 2 W. 2nd Mer. Ind.

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugm 10 in dia. bears N 38 W 34 miles dist; to  
Ls 13 n ~ ~ S 38 E. 21 ~ ~
- 67.00 To a Brook 12 miles wide; course N.E.
- 73.50 To a Brook 8 ~ ~ ~ S.E.
- 80.00 Set a post for the cor. to sec. 12 & 13. T. N. 9 N.  
R. N. 2 W. from which  
Heik 12 in dia. bears S 37 W. 3 miles wide; to  
Ls 10 n ~ ~ S 68 E. 10 ~ ~
- Land on the 1st  $\frac{1}{2}$  mile same as on the last  $\frac{1}{2}$  mile.  
~ ~ ~ 2<sup>nd</sup> ~ ~ of middling quality;  
Timber Oak and Birch.

- North 5<sup>th</sup> Mile; On the East Boundary of sec. 12. T. N. 9  
R. N. 2 W.
- 32.50 To a post 30 in dia. stands on the line
- 40.00 Set a post for the cor. to sec. 14. From which a  
Sugm 12 in dia. bears N 47 W. 9 miles dist; to  
Butt 18 n ~ ~ S 57 E. 31 ~ ~
- 43.50 To a Brook 12 miles wide; course S.E.
- 53.50 To a Post 20 in dia. stands on the line
- 80.00 Set a post for the cor. to sec. 1 & 12. T. N. 9 N.  
R. N. 2 W. from which a  
Beck 13 in dia. bears N 29 E. 31 miles dist; to  
Chp 12 n ~ ~ N 60 W. 40 ~ ~
- Good soil made timber same as on the last mile.

- North 6<sup>th</sup> Mile on the East Boundary of sec. 1 T. N. 9  
R. N. 2 W.
- 37.75 To a line hence S 53 W.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugm 14 in dia. bears S 58 E. 36 miles dist; to  
Ls 14 n ~ ~ N 19 W. 31 ~ ~
- 54.00 To a Sugm 16 in. dia. stands on the line
- 80.00 Set a post for the cor. to sec. 1. 6. 31 & 36 T. N. 9  
10 N. R. N. 12 W. from which a

T. N. 9. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind. 2

Beck 5 in dia. base N 6 W 13 miles dist; to  
Do 12 " " " N 24 E. 28 " "  
Good Land; Timber Beck, Sugar & Poplar

### North Boundary.

Corrected and marked the line West between  
Towns 9-10 N. R. 2 W.

West 1<sup>st</sup> Mile on the South Boundary of Sec. 36 T. N. 10  
N. R. N. 2 W.

750 Iron Brook 15 miles wide; corner N. E.

40.00 Set apart for the cor. to 1/4 sec. from which a  
Oak 21 in dia. base N 77 E. 2 miles dist; and a  
Beck 14 " " " N 10 E. 4 " "

80.00 Set apart for the cor. to Sec. 35, 136. T. N. 10. N. R.  
N. 2 W. 2<sup>nd</sup> Mer. Ind. from which a  
B. Oak 30 in dia. base N 55 W. 14 miles dist; to  
Height 5 " " " S 85 E. 8 " "  
Good Land; Timber Beck Oak & Walnut &c

West 2<sup>nd</sup> Mile on the South Boundary of Sec. 35 T. N. 9  
N. R. N. 2 W.

40.00 Set apart for the cor. to 1/4 sec. from which a  
Gum 16 in dia. base N 60 E. 2 miles dist; to  
Sugar 6 " " " S 20 W. 36 " "

80.00 Set apart for the cor. to Sec. 34 & 35. T. N. 10 N.  
N. R. N. 2 W. from which a  
Sugar 12 in dia. base S 70 E. 3 miles dist; to  
Beck 16 " " " N 48 W. 24 " "  
Good level land; Timber Beck, Sugar &c.

West 3<sup>rd</sup> Mile on the South Boundary of Sec. 34 T. N. 10  
N. R. N. 2 W.

40.00 Set apart for the cor. to 1/4 sec. from which a  
Beck 11 in dia. base N 52 E. 16 miles dist; to  
Do 12 " " " S 21 E. 18 " "

80.00 Iron Brook 75 miles wide; corner N. W.

T. N. 9. N.R. N. 27. 2<sup>nd</sup> Mer. Ind.

80.00 Set a post for the cor. to sec. 33 & 34. T. N. 10. N.  
 R. N. 27. from which  
 Sugar 4 in. dia. bears N 59 W. 10 miles dist; & w  
 Do 5 " " " 44 W. 14 " "  
 Same do level made dist; Timber Sugar, Walnut to

West 4<sup>th</sup> Mile on the South Boundary of sec. 33. T. N. 10  
 N.R. N. 27

40.00 Set a post for the cor. to 1/4 sec. from which  
 Hick 18 in. dia. bears S 18 E 14 miles dist; & w  
 Buck 6 " " " N 27 E. 21 " "  
 80.00 Set a post for the cor. to sec. 32 & 33. T. N. 10. N.  
 R. N. 27. from which  
 Buck 12 in. dia. bears N 46 W 9 miles dist; & w  
 Do 12 " " " S 14 W. 18 " "  
 Same do level; Timber Oak; Buck &

West 5<sup>th</sup> Mile; on the South Boundary of sec. 32. T. N. 10  
 N.R. N. 27

40.00 Set a post for the cor. to 1/4 sec. from which  
 Buck 13 in. dia. bears N 45 E. 29 miles dist; & w  
 Do 12 " " " S 9 E. 9 " "  
 80.00 Set a post for the cor. to sec. 31 & 32. T. N. 10. N.  
 R. N. 27. from which  
 Buck 13 in. dia. bears S 36 E. 17 miles dist; & w  
 Do 6 " " " N 8 W 26 " "  
 Flat over Buck lands

West 6<sup>th</sup> Mile on the South Boundary of sec. 31. T. N. 10  
 N.R. N. 27.

15.00 Iron Rock 8 miles wide across N.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Buck 11 in. dia. bears N 64 E. 27 miles dist; & w  
 Do 18 " " " S 16 E. 35 " "  
 73.00 Enter onto the N. 1/2 Sec. 30 miles South of my  
 timber post. and set a post for the cor. to T. N. 9. N.

T. No. 9. N. R. No. 277. 2<sup>nd</sup> to Mer. (Ind. c.)

N. R. No. 277. 3<sup>rd</sup> W. from which a  
 Tree 10 in dia. trunk S 80 W. 12 hitherto; 10  
 Do 8 " " " N 70 E. 34 " "  
 Flat Bush 100 ft. 10.

West Boundary. Apr. 8. 1811.

From the cor. to T. No. 8. & 9. N. R. No. 213 W.  
 North 1<sup>st</sup> Mile. on the East Boundary of Sec. 36. T. No. 9 N.  
 R. No. 377.  
 18.50 To a Birch 60 miles away; hence S W.  
 25.00 " " " 15 " " " S. E.  
 33.50 " " " 15 " " " S W.  
 40.50 Set a post for the cor. to Sec. 35 from which a  
 Sugar 11 in dia. trunk N 27 E. 13 hitherto; 10  
 Do 12 " " " S 27 W. 15 " "  
 75.00 To a Poplar 30 in dia. stands on the line  
 80.00 Set a post for the cor. to Sec. 35, & 36. from which  
 a Sugar 10 in dia. trunk N 47 E. 31 hitherto  
 Tree 16 " " " S 57 W. 26 " "  
 Limbs broken with Suto Timber Bush 20. on the 1<sup>st</sup> per  
 1/2 mile; on the 2<sup>nd</sup> 1/2 mile with limbs timber  
 Sugar &c.

North 2<sup>nd</sup> Mile on the East Boundary of Sec. 25 T. No. 9  
 N. R. No. 277.  
 40.00 Set a post for the cor. to Sec. 24 from which a  
 Coffeenut 16 in dia. trunk S 6 W. 12 hitherto; 10  
 Tree 10 " " " N 44 E. 2 " "  
 62.00 To a Birch 15 in dia. stands on the line.  
 80.00 Set a post for the cor. to Sec. 24 & 25 T. No. 9 N.  
 R. No. 377. from which a  
 Sugar 4 in dia. trunk S 20 E. 3 hitherto; 10  
 Tree 18 " " " N 31 W. 35 " "

North 3<sup>rd</sup> Mile on the East Boundary of Sec. 24. T. No. 9  
 N. R. No. 377.



## T. N. 9. N. R. N. 27. Q. N. A. M. S. A. W.

- 9.50 To a Bush 14 in dia. Stand in the line.  
 40.00 Set a post for the cor. to from which  
 Height 12 in dia. beam S 127 W. 9 miles dist; 10  
 H. 12 in - - - N 38 E. 9 in - -  
 80.00 Set a post for the cor. to sub. 13 & 24 T. N. 9. N.  
 R. N. 37 W. from which  
 W. Oak 36 in dia. beam N 47 E. 22 miles dist; 10  
 W. Oak 36 in - - - S 47 W. 30 in - -  
 Sande hub; Timber Oak, Height 17 and Bush.

- North 4<sup>th</sup> Mile, On the East Boundary of sec. 13. T.  
 N. 9 N. R. N. 37 W.  
 19.50 To a Sugar in dia. Stand in the line.  
 34.00 To a Brook 30 miles wide; corner S. W.  
 40.00 Set a post for the cor. to from which  
 Bush 15 in dia. beam S 59 E. 13 miles dist; 10  
 B. Oak 30 in - - - S 46 W. 45 in - -  
 64.50 To a Bush 25 in dia. beam in the line.  
 80.00 Set a post for the cor. to sub. 12 & 13 T. N. 9. N.  
 N. 37 W. from which  
 Height 11 in dia. beam S 41 E. 18 miles dist; 10  
 W. Oak 20 in - - - N 49 W. 31 in - -  
 Live Oak land.

- North 5<sup>th</sup> Mile On the East Boundary of sec. 12 T. N. 9  
 N. R. N. 37 W.  
 10.00 To a Poplar 30 in dia. Stand in the line.  
 34.50 To a Brook 10 miles wide corner S. W.  
 40.00 Set a post for the cor. to from which  
 Sugar 5 in dia. beam S 40 W. 16 miles dist; 10  
 Oak 18 in - - - N 81 E. 14 in - -  
 80.00 Set a post for the cor. to sub. 11 & 12. T. N. 9. N.  
 R. N. 37 W. from which  
 Bush 14 in dia. beam S 63 W. 21 miles dist; 10  
 H. 13 in - - - S 65 E. 36 in - -  
 Sande hub; Timber Bush, Poplar, Sugar, 10

*T. N. 9. N. 27. 2<sup>nd</sup> Mer. Ind.*

- North 6<sup>th</sup> Mile on the South Branch at off sec. 1. *T. N. 9. N. 27.*
- 22.00 To a Poplar 30 in dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which is  
N. Oak 36 in. dia. bears S 41 E. 3 miles dist; to  
Nash — — — — —
- 57.50 To a N. Oak 50 in dia. stands in the line.
- 80.00 Set a temporary post for the cor. to Sec. 9. & 11. N. 7.  
2 & 3 N. Good wood lands; Timber Oak, Oak  
and Hickory

Surveyed by  
James Holmes  
Dep. S. Sur.

*Subdivision Var. 7° 07*

- North Between Sec. 34 & 35. *T. N. 9. N. 27.*
- 40.00 Set a post for the cor. to 1/4 sec. from which is  
Beck 10 in dia. bears N 40 E. 10 miles dist; to  
do 12 — — — S 15 E. 18 — —
- 80.00 Set a post for the cor. to sec. 26, 27, 34 & 35 from  
which an Ironwood 4 in. dia. bears S 50 E. 7 the dist.  
made is 12 — — — S 69 N 9 — —  
Lands rolling in low hills; Timber Poplar, Beck  
Sugar Walnut Oak, Hickory, &c. Excellent farm-  
ing lands. Very rich soil;

East On a line from this between sec. 26. & 35 *T. N. 9. N. 27.*

- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 79.78 Intersect the N. & S. line 95 miles North of the  
Post set for the cor. to sec. 25, 26, 35 & 36.  
Lands high in low hills Timber Oak Hickory  
Poplar, Beck, &c. Excellent farming lands;

West On the true line between sec. 26. & 35 *T. N. 9. N. 27.*

T. N. 9. N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind:

- 39.89 Set the temporary post at the avor. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
Heike 14 in. dia bears N40 E 21 links dist; to  
Beck 9 " " " S51 W. 11 " "
- 79.78 To the post set for the cor. to sub. 26. 27. 34. 135

- West Between sub. 27. & 34 T. N. 9. N. R. N. 2 W. v. 5. 26  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Log made 9 in dia bears S79 W. 28 links dist;  
Heike 7 8 " " " N51 E. 32 " "
- 80.00 Set a post for the cor. to sub. 27. 28. 33. 134 from  
which Sugar 6 in dia bears S8 W. 2 links dist  
made " " 8 " " " N44 W 8 " "  
Land rolling; Timber Buck, Sugar, Ash, & Wal-  
nut Poplar Oak &c. Excellent lands for farm?

- North Between sub. 27. & 28. T. N. 9. N. R. N. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Sugar 7 in dia. bears S59 W. 23 links dist; to  
" 16 " " " N82 E. 28 " "
- 50.00 To a Brook 15 links wide; corner N.  
80.00 Set a post for the cor. to sub. 21. 22. 27. 128. from  
which B. Walnut 14 in. dia bears S71 E. 20 links dist  
made Sugar 10 " " " N68 W 13 " "  
Land rolling; Timber Walnut, Buck, Sugar,  
Ash, Oak, &c. Good farming; lands.

- South On a Random line between sub. 33 & 34. T. N. 9.  
N. R. N. 2 W.  
13.50 To a Brook 15 links wide corner N. W.  
40.00 Set a post temporary for the cor. to  $\frac{1}{4}$  sec.  
80.30 Intersection the E & W line 67 links west of the post  
set for the cor. to sub. 33 & 34.  
Some on the N. is rolling and 1<sup>st</sup> rate farming  
lands; South is hilly and 2<sup>nd</sup> rate farming  
lands Timber same as on the last mile.

T. N. 9. N. R. No 2 W. 2<sup>nd</sup> Mer Ind.

North On the true line between Sec. 33 & 34. T. N. 9. N. R. No 2 W.

40.15 Set the temporary post at the corner, dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a Sugar 5 in dia. bears N13 E. 10 miles. dist; to Buck 12 n n n S 50 W 10 n n  
80.30 To the post set for the cor. to Sec. 27, 28, 33 & 34.

West Between Sec. 28 & 33. T. N. 9. N. R. No 2 W.

20.00 To a Brook 20 miles wide; corner S. W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Sugar 8 in dia bears West 4 miles. dist; to Sugar 8 n n n N 64 E. 18 n n  
42.00 To a Brook 30 miles wide corner S. W.  
80.00 Set a post for the cor. to sec. 28, 29, 32 & 33, from which a Buck 9 bears N 63 E. 12 miles. dist; to Sugar 14 in dia bears N 40 W 14 n n  
Sands rolling; Timber same; good farming rich soil.

South On a random line between Sec. 32 & 33. T. N. 9. N. R. No 2 W.

30.50 To a Brook 30 miles wide corner S. W.  
40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
80.64 Intersect the E & W line 75 miles West of the post set for the cor. to sec. 32 & 33. T. N. 9. N. R. No 2 W.  
Sands on the N $\frac{1}{2}$  mile; R<sup>st</sup> rate farming lands; Ch n n S $\frac{1}{2}$  n 2<sup>nd</sup> n n n  
Timber same as on the last mile.

North On the true line between Sec. 32 & 33. T. N. 9. N. R. No 2 W.

40.30 Set the temporary post at the corner, dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a Buck 12 in dia. bears N 47 W. 6 miles. dist; to Ash 14 n n n N 8 W. 22 n n



# T. N. 9. N. R. No. 27. 2<sup>nd</sup> Mer (Ind.)

80.64 To the first set for the cor. to Sul. 28. 29. 32. 33.

West Between Sections 29. & 32 T. N. 9. N. R. No. 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. Var.  $5^{\circ} 40'$   
 from which a Bech 6 in dia. bears N 11 E 5 miles  
 dist; to Walnut 12 in dia. bears N 47 E 9 miles dist;  
 80.00 Set a post for the cor. to Sul. 29. 30. 31. & 32 from which  
 a Sugar 9 in dia. bears S 31 W. 7 miles dist; to  
 Bech 18 in ~ S 82 E. 20 ~ ~  
 Land Heilly good farming land; Timber  
 Oak, Bech, Sugar, Poplar, &c.

North Between Sul. No. 28. & 29 T. N. 9. N. R. No. 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Hick 14 in dia. bears N 66 W. 16 miles dist; to  
 Bech 13 ~ ~ N 53 E. 18 ~ ~  
 80.00 Set a post for the cor. to Sul. 20. 21. 28. & 29 from which  
 a Sugar 8 in dia. bears N 52 E. 10 miles dist; to  
 Hick 9 ~ ~ S 72 W. 11 ~ ~  
 Land on the South  $\frac{1}{2}$  good for farming; the  
 N  $\frac{1}{2}$  Heilly Timber same as the last miles.  
 Var.  $7^{\circ} 07'$

East On a line from line between Sul. 21. & 28. T. N. 9.  
 N. R. No. 27. Sept. 17<sup>th</sup> 1815.  
 40.00 Set a temp. post for the cor. to  $\frac{1}{4}$  sec.  
 80.26 Into section No. 28 from 22 miles North of the  
 first set for the cor. to Sul. 21. 22. 27. & 28.  
 East  $\frac{1}{2}$  good farming land; West  $\frac{1}{2}$  Heilly &  
 Stony; Timber same as in the last miles.

West On the true line between Sul. 21. & 28. T. N. 9. N.  
 R. No. 27.  
 40.13 Set the temp. post at the aver. dist. on the true  
 line for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Bech 12 in dia. bears S 21 W. 11 miles dist; to

T. N. 9. N. R. No. 27. 2<sup>nd</sup> Mer. Ind.

81.26 Sugar 11 in. dia. bands N 32 W. 25 miles dist;  
To the first cut for the cor. to Sub. 20. 21. 28. & 29.

West Between Sub. 20. & 29 T. N. 9. N. R. No. 27.  
40.00 Set apart for the cor. to  $\frac{1}{4}$  sec. from which a  
Beck 9 in. dia. bands N 43 E. 18 miles dist; & 0  
Do 9 in. dia. bands S 11 E 7 in. -  
80.00 Set apart for the cor. to Sub. 19. 20. 29. & 30 from  
which a Sugar 6 in. dia. bands North 3 miles dist  
Bands a Beck 12 in. dia. bands S 2 E. 29 in. -  
Land is very good for farming; Timber  
same as the last mile.

South On a Random line between Sub. 29. & 30 T. N. 9.  
N. R. No. 27.  
40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
45.50 To a Brook 12 miles wide; comes W.  
79.93 Intersect the E & W line 20 miles West of the post  
set for the cor. to Sub. 29. 30. 31. & 32.  
Land is similar to the last mile; quite healthy.

South On a Random line between Sub. 31. & 32. T. N. 9. N.  
R. No. 27.  
40.00 Set a temporary post for the cor. to the  $\frac{1}{4}$  sec.  
67.00 To a Brook 30 miles wide; comes W.  
81.00 Intersect the E & W line 54 miles West of the post  
set for the cor. to Sub. 31. & 32.  
Land is South  $\frac{1}{2}$  sec. rate for farming; The N  $\frac{1}{2}$   
Healthy & strong;

North On the true line between Sub. 31. & 32. T. N. 9. N.  
R. No. 27.  
40.50 Set the temporary post at the corr. just on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Beck 8 in. dia. bands S 85 W. 19 miles dist;  
to W. Sub. 27 in. - N 15 W. 22 in. -

T. N. 9. N. R. N. 27. 2<sup>nd</sup> Mer (Ind.)

81.00 To the post set for the cor. to Sec. 29, 30, 31 & 32.

West Between Sec. 31 & 32. T. N. 9. N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Sugar 12 in air-bear N 24 E 14 miles dist; or  
Do 9 " " " S 86 W. 14 "

45.00 To a Brook 20 miles wide; course S. W.

66.64 Introduced the N. 13 line 15  $\frac{1}{2}$  miles North of the  
post set for the cor. to Sec. 25, & 36. T. N. 9. N. R.  
N. 3 W. and set a post for the cor. to Sec. 30 &  
31. T. N. 9. N. R. N. 27. from which a  
Sugar 6 in air-bear S 1 E. 6 miles dist; or  
Do 7 " " " S 45 W. 9 " "  
Lands Heilly and muddling goods for farming  
Timber Beech Sugar Oak & Walnut;

North On the true line between Sec. 29 & 30 T. N. 9. N.  
R. N. 27.

39.97 Set the temporary post at the corner dist on the true  
line for the cor. to  $\frac{1}{4}$  Sec. from which a  
Sugar 4 in air-bear S 8 W. 10 miles dist; or  
Beech 18 " " " S 24 E. 27 " "

79.93 To the post set for the cor. to Sec. 19, 20, 29, & 30.

West On the true line between Sec. 19 & 30 T. N. 9. N.  
R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Beech 14 in air-bear S 63 E. 10 miles dist; or  
Lynn 18 " " " N 44 W. 7 " "

66.25 Introduced the West Boundary of T. N. 9. N.  
R. N. 27. 22  $\frac{1}{2}$  miles N. of the post set for the cor.  
to Sec. 24 & 25 T. N. 9. N. R. N. 3 W. and  
set a post for the cor. to Sec. 19 & 30 from which a  
Heilly 7 in air-bear S 63 E. 10 miles dist; or  
Ironwood 3 " " " N 44 E. 8 " "  
Lands Heilly and muddling goods for farming



337

T. N. 9 N.R. N. 27. 2nd Mer. (Ind. 2)

Timber same as in the last mile;

Sept. 18<sup>th</sup> 1815. Var. 7<sup>00</sup>.  
 North Between Sec. 21 & 22 T. N. 9 N.R. N. 27.  
 40.00 Got a post for the cor. to 1/4 sec. from which a  
 Buck 9 in. dia. bears N 47 W. 18 miles dist; to a  
 Elm 24 n n n S 14 E. 40 n n  
 80.00 Got a post for the cor. to Sec. 15, 16, 21 & 22. from which  
 a Sugar 8 in. dia. bears N 37 E. 19 miles dist; to a  
 Do 4 n n n S 28 W. 20. n n  
 Lands rolling and excellent for farming;  
 Timber same as in the last mile;

North Between Sec. 15 & 16. T. N. 9 N.R. N. 27.  
 40.00 Got a post for the cor. to 1/4 sec. from which a  
 Sugar 12 in. dia. bears S 86 E. 4 miles dist; to a  
 Do 27 n n n S 59 W. 23 n n  
 80.00 Got a post for the cor. to Sec. 9, 10, 15 & 16. from  
 which a Buck 12 in. dia. bears N 52 E. 11 miles dist;  
 W. Ash 30 in. dia. bears S 41 W. 16 miles dist  
 Lands level with timber same as in the last mile.

North Between Sec. 9 & 10 T. N. 9 N.R. N. 27.  
 40.00 Got a post for the cor. to 1/4 sec. from which a  
 Buck 14 in. dia. bears N 27 W. 33 miles dist; to a  
 Do 5 n n n S 35 E. 16 n n  
 60.00 To a Spring across East  
 80.00 Got a post for the cor. to Sec. 3, 4, 9 & 10.  
 Made the cor. on a Sugar 24 in. dia.  
 Lands rolling & not farming lands;  
 Timber Buck Sugar Walnut and Poplar.

West Between Sec. 16 & 21. T. N. 9 N.R. N. 27.  
 40.00 Got a post for the cor. to 1/4 sec. from which a  
 Buck 10 in. dia. bears N 61 E. 5 miles dist;  
 Sugar 9 n n n N 66 W. 28 n n



T. N. 9. N. R. 1. 2 W. 2<sup>nd</sup> Mer. (Ind.)

80.00 Set a post for the cor. to sec. 16. 17. 20. & 21. from which a Sugar 9 in dia. bears S 60 E. 12 miles dist; & on  
 Elm 24 in a ~ N 16 W. 38 ~ ~  
 Land is Kelly and part meadow good farming land  
 Timber same as on the last mile.

South On a Random line between Sec. 20. & 21. T. N. 9. N. R. N. 2 W.

110.00 Set a temporary post for the cor. to 1/4 sec.

80.20 Intersect the E & W line 8 miles East of the post  
 Set for the cor. to sec. 20. 21. 28. & 29.  
 Land is Kelly Timber same as in the last mile.

North On the true line between Sec. 20. & 21. T. N. 9. N. R. N. 2 W.

40.10 Set the temporary post at the corner, just on the true line for  
 the cor. to 1/4 sec. from which a  
 Sugar 12 in dia. bears S 58 E. 7 miles dist; & on  
 Oak 9 in a ~ N 37 W. 40 in a ~

80.20 To the post set for the cor. to sec. 16. 17. 20. & 21.

North Between Sec. 16 & 17. T. N. 9. N. R. N. 2 W. Var. 7.° 00'

37.00 To a Brook 10 W. side. Corner S. W. Var. 7.° 00'

40.00 Set a post for the cor. to 1/4 sec. from which a  
 1/2 Gum 18 in. dia. bears S 47 W. 8 miles dist; & on  
 Birch 14 in a ~ N 27 E. 41 in a ~

80.00 Set a post for the cor. to sec. 8. 9. 16. & 17. from which  
 an Elm 10 in. dia. bears S 10 E. 26 miles dist; & on  
 Sugar 8 in a ~ N 40 E. 10 in a ~  
 Land rolling under rich soil; good for farming  
 Timber same as on the last mile.

East On a Random line between Sec. 9. & 16. T. N. 9. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. (temporary)

79.92 Intersect the N. & S. line 16 miles North of the post

T. N. 9. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. 2)

Set for the cor. to sec. 9. 10. 15. 16. Lands R. rate  
for farming; Timber same as on the last mile.

West On the true line between Sec. 9. & 16. T. N. 9. N.  
R. N. 27.

39.96 Set the temporary post at the av. dist on the true line for  
the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 9 in. dia. bears N 87 E. 22 miles dist; to  
Do 10 " " " S 4 E. 5 " "

49.92 Set the post for the cor. to sec. 8. 9. 16. & 17.

North Between Sec. 8. & 9 T. N. 9. N. R. N. 27.

40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
Beck 9 in. dia. bears S 57 E. 7 miles dist; to  
Sugar 12 " " " West 18 " "

80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which  
a Beck 19 in. dia. bears N 56 E. 23 miles dist; to  
Do 16 " " " S 17 W. 11 " "  
Lands level and rather wet; Colds soil & good  
for. Grass; Timber principally Beck, some-  
gun & Poplar.

West Between Sec. 17. & 20 T. N. 9. N. R. N. 27.

40.00 Set a post for the cor. to the  $\frac{1}{4}$  sec. from which a  
Sugar 5 in. dia. bears N 69 E. 19 miles dist; to  
Beck 27 " " " S 68 W. 15 " "

80.00 Set a post for the cor. to sec. 17. 18. 19. 20. from  
which a Beck 24 in. dia. bears N 60 W. 6 miles dist; to  
Sugar 10 in. dia. bears S 79 E. 40 miles dist; to  
Lands rolling and R. rate for farming; Timber  
Beck, Sugar, Ash, Walnut and Poplar.

South On a true line between Sec. 19 & 20. T. N. 9  
N. R. N. 27.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

80.28 Set the section the E. & W. line at the first set for the

## T. N. 9. R. N. 2 W. 2nd Mer. (Ind.)

cor. to sec. 19, 20, 29, & 30; Lands hilly and some  
part rather stony; Timber same as on the  
last mile;

North Return Sec 19 & 20 T. N. 9. R. N. 2 W.  
On the true line.

40.14 Set the temporary post at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 11 in. dia. bore N 20 W. 7 miles dist; r =  
Buck 9 a n n N 45 E. 39 a n  
80.28 To the post set for the cor. to sec. 17, 18, 19, 20.

West Return Sec. 18 & 19. T. N. 9. R. N. 2 W. Con. 6.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 12 in. dia. bore S 65 E. 10 miles dist; r =  
Do 14 a n n N 44 W. 16 a n

66.50 Intersect the W. Boundary of T. N. 9. R. N. 2 W.  
300 miles North of the post set for the cor. to sec.  
13 & 14 T. N. 9. R. N. 3 W. and set a post  
for the cor. to sec. 18 & 19. from which a  
W. Oak 30 in. dia. bore N 61 E. 23 miles dist; r =  
W. Oak 30 a n n S 58 W. 38 a n  
Lands lie in low fields and good for farming  
Timber same as on the last mile.

North Return Sec. 17 & 18. T. N. 9. R. N. 2 W.

27.50 To a Brook 15 miles wide; Course W.

37.50 To a Spring branch; Course W.

34.50 To a Brook 10 miles wide; Course S. W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Elm 20 in. dia. bore N 7 E. 37 miles dist; r =  
W. Buck 8 a n n S 75 E. 23 a n

80.00 Set a post for the cor. to sec. 7, 8, 17 & 18. from which  
a Buck 27 in. dia. bore N 35 W. 16 miles dist; r =  
Sugar 6 a n n N 49 E. 10 a n  
Lands low and good for farming; nearly S.



T. N. 9. R. 27. 2nd Mer. (In 1<sup>a</sup>)

Timber Lume down the last mile;

East	On a Random line between Sec. 8. & 17. T. N. 9. R. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00	Intersected the N. & S. line 15 miles South of the post set for the cor. to Sec. 8. 9. 16. & 17. Sandy soil and Timber Lume down the last mile.
West	On the true line between Sec. 8. & 17. T. N. 9. R. 27.
40.00	Set the temporary post at the corner. Met on the true line for the cor. to $\frac{1}{4}$ sec. & made the cor. on a Buck 5 in dia. from which a Buck 11 in dia. bears N 7 E 17 links dist;
80.00	To the post set for the cor. to Sec. 7. 8. 17. & 18.
West	On the true line between Sec. 7. & 18. T. N. 9. R. 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 12 in. dia. bears S 27 W. 14 links dist; & D Do 30 " " " N 5 E 28 " " "
66.62	Intersected the West Boundary of T. N. 9. R. 27. 392 links North of the post set for the cor. to Sec. 12. & 13. T. N. 9. R. 37. and set a post for the cor. to Sec. 7. & 18. from which a Buck 24 in. dia. bears N 60 E. 15 links dist; & D Do 10 " " " S 54 W 34 " " "
	Sandy & heavy good soil; Timber Lume is last mile
East	On a Random line between Sec. 4. & 9. T. N. 9. R. 27. Sept. 20 1815
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.48	Intersected the N. & S. line 79 miles North of the post set for the cor. to Sec. 3. 4. 9. 10. Sandy the West $\frac{1}{4}$ sec. and not; East $\frac{1}{4}$ sec. first set



T. N. 9. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind<sup>c</sup>)

farming lands; Timber same as on the last mile

West	On a true line between Sub. 4 & 9. T. N. 9. R. N. 2 W.
	N. 2 W.
40.24	Set the temporary post at the aver dist. in the true line for the cor. to $\frac{1}{4}$ sec. from which a W. Oak 20 in. dia. has N 56 E. 34 links dist; to Gum 12 " " " N 87 E. 40 " " "
80.48	Set the post at for the cor. to sub 4. 5. 8. 9.
North	Between Sub. 4. & 5. T. N. 9. R. N. 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 7 in dia. has S 40 E. 23 links dist; to Do 8 " " " N 25 W. 8 " " "
73.89	Intersected the North Branch of Laramie N. 9 N. R. N. 2 W. 448 links West of the post set for the cor. to Sub. 32. 33. N. 10. R. N. 2 W. and set a post for the cor. to Sub. 4 & 5 from which a W. Oak 12 in dia. has S 77 E. 17 links dist; to Buck 24 " " " N 23 W. 20 " " " Lands South of met; North of Good lands for farming; Timber same as on last mile; Sugar to
West	Between Sub. 5. & 8. T. N. 9. R. N. 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 19 in. dia. has N 15 E. 16 links dist; to Do 15 " " " S 1 W. 42 " " "
80.00	Set a post for the cor. to Sub. 5. 6. 7. & 8. from which a Buck 9 in dia. has N 75 E. 11 links dist; to Do 9 " " " S 62 W. 15 " " " Lands low and flat met; & part good farming lands;
South	On a random line between Sub. 7. & 8. T. N. 9. R. N. 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. N. 9. N. R. N. 2 W. 2<sup>nd</sup> Mer (Ind.)

80.88 Intersected the E. & W. line 40 miles East of the first set for the cor. to Sub. 7, 8, 17 & 18.  
 Lands N. for farming; Timber Beech, Sugar, Poplar & Walnut &c.

North On a true line between Sub. 7 & 8 T. N. 9. N. R. N. 2 W.

40.30 Set the temporary first at the corner east within the true line for the cor. to 1/4 sec. from which a  
 Tree 18 in. dia. bears S 31 W. 28 miles dist; &  
 Logwood 6 a a N 76 W 20 a a

80.60 To the first set for the cor. to Sub. 5, 6, 7, & 8.

West Between Sub. 6 & 7. T. N. 9. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Tree 14 in. dia. bears N 29 W. 1 mile dist; &  
 Beech 6 a a S 9 E 6 a a

67.36 Intersected the N. & S. line 472 miles North of the first set for the cor. to Sub. 1, 12. T. N. 9. N. R. N. 3 W. and set a post for the cor. to Sub. 6 & 7. from which a Tree 10 in. dia. bears S 62 E. 4 miles dist; and a Tree 12 a a N 78 W 9 a a  
 Lands good for farming; Timber same as in the last mile;

North Between Sub. 5 & 6 T. N. 9. N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Tree 10 in. dia. bears S 7 E 11 miles dist; &  
 Oak 20 a a N 24 W. 15 a a

73.83 Intersected the E. & W. line 479 miles West of the first set for the cor. to Sub. 3, 13. T. N. 10. N. R. N. 2 W. and set a post for the cor. to Sub. 5 & 6. from which a Tree 9 in. dia. bears S 46 E 2 miles dist; &  
 Do 10 a a S 54 W. 22 a a  
 Lands good and met Timber most by Beech



## T. N. 9. N. H. N. 27. 21. 4 Mer. Ind.

North Between Sec. 26. &amp; 27. T. N. 9. N. H. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
5 in dia. beam N 57 W. 15 links dist. 10  
N 65 W 14 n -80.00 Set a post for the cor. to sec. 22, 23, 26, & 27. from which  
a 7 in dia. beam N 26 W. 13 links dist. 10  
Sugar 16 n n - N 22 E 17 n -Good land for farming; Timber Oak, ash, Pop-  
lar & Walnut.East On a line between Sec. 23. & 26. T. N. 9  
N. H. N. 27.40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.80.20 Intersect the N. H. line 21 links South of the  
post set for the cor. to sec. 23, 24, 25, & 26.

Land well suited for timber same as on the last survey.

West On the true line between Sec. 23. & 26. T. N. 9. N.  
H. N. 27.40.10 Set the temporary post at the cor. dist. on the true  
line for the cor. to  $\frac{1}{4}$  sec. from which aSugar 8 in dia. beam N 50 W. 9 links dist. 10 n -  
Oak 18 n n - West 12 n n -

80.20 To the post set for the cor. to sec. 22, 23, 26, &amp; 27.

East On a line between Sec. 24 & 25. T. N. 9.  
N. H. N. 27.40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.81.12 Intersected the N. H. line 65 links South of the  
post set for the cor. to sec. 24 & 25.Land well suited for farming; Timber  
Oak, Hickory, & Birch.West On the true line between Sec. 24 & 25. T. N. 9. N.  
H. N. 27.

40.56 Set the temporary post at the cor. dist. on the true



T. N. 9. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. 2.)

line for the cor. to the  $\frac{1}{4}$  Sec. from which  
 Buck 15 in dia. bears S 72 E. 13 links dist; 10  
 Hick 17 $\frac{1}{2}$  " " S 60 W. 19 " "

West On a Main line between Sec. 22, 127 T. N. 9.  
 N. R. N. 27.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec. from which  
 80.95 Intersect the N. S. line 53 links South of the  
 post set for the cor. to Sec. 21, 22, 27, 128.  
 Land good for farming;

East On a true line between Sec. 22, 127 T. N. 9. N. R.  
 N. 27.

40.47 Set the temporary post at the corner dist on the true line  
 for the cor. to  $\frac{1}{4}$  Sec. from which  
 Sugar 9 in dia. bears N 53 E 7 $\frac{1}{2}$  links dist; 10  
 Ash 20 " " S 63 W. 28 " "  
 80.95 To the post set for the cor. to Sec. 22, 23, 26, 127.

September 17, 1865.

North Between Sec. 23, 124 T. N. 9. N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which  
 Sugar 14 in dia. bears S 44 W. 9 links dist; 10  
 Buck 20 " " N 16 E. 19 " "

80.00 Set a post for the cor. to Sec. 13, 14, 23, 124 from  
 which a Sugar 16 in dia. bears S 85 E. 32 links dist;  
 and a Do 9 " " S 86 W. 15 " "  
 Timber Oak, Ash, Buck, Poplar, Walnut, Gum,  
 Sugar &c. Land rolling and good for farming

East On a Main line between Sec. 13, 124 T. N. 9. N.  
 R. N. 27.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 81.11 Intersect the N. S. line 17 links South of the post  
 set for the cor. to Sec. 13, 124  
 Timber Oak Hick 7 Buck Sassafras &c.

T. N. 9 N. W. N. 2 W. 2nd Mer (Ind. 1)  
 Lands maddling goods for farming;

West On the true line between Sub 13 & 24 T. N. 9. N. N. N. 2 W.  
 40.35 Set the temporary post at the above dist on the true line for the cor. to 1/4 sec. From which a  
 Sugar 9 in dia. beam - 75 E. 4 1/2 links dist 10  
 Do 5 " " " 85 E. 34 " "  
 81.11 To the post set for the cor. to sub. 13. 14. 23. 24.

North Between Sub 13 & 14 T. N. 9. N. N. N. 2 W.  
 40.00 Set a post for the cor. to 1/4 sec. From which a  
 Beam 18 in dia. beam N 9 W 16 links dist 10  
 Sugar 10 " " " N 10 E. 17 " "  
 80.00 Set a post for the cor. to sub. N. 12. 13. & 14 T. N. 9. N. N. N. 2 W. From which an  
 Elm 7 in dia. beam S 66 W. 19 links dist 10  
 Sugar 7 " " " N 80 E. 12 " "  
 Lands goods for farming; Timber Oak, Ash, Beech, Poplar, &c.

East On a random line between Sub 12. & 13 T. N. 9. N. N. N. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 81.36 Intersect the N. 8 W. line 8 links North of the post set for the cor. to sub. 12 & 13.  
 Lands maddling goods for farming;

West On the true line between Sub. 12 & 13 T. N. 9. N. N. N. 2 W.  
 40.68 Set the temporary post at the above dist on the true line for the cor. to 1/4 sec. From which a  
 Dogwoods 3 in dia. beam S 54 W. 5 links dist 10  
 Do 2 1/4 " " " N 54 E. 2 " "  
 81.36 To the post set for the cor. to sub. 11. 12. 13. & 14 T. N. 9. N. N. N. 2 W.

T. N. 9. N. W. No 2 W. 2<sup>nd</sup> Mer. Sec. 9.

West On a ~~Random~~<sup>true</sup> line between Sec. 14 & 23. T. N. 9. N. W. No 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Cherry 2 $\frac{1}{2}$  in dia. beam S 26 W. 10 miles dist; to  
Beck 24 " " " N 40 E. 30 " "

62.00 To a creek 50 miles miles; course N. W.

80.00 Set a post for the cor. to  $\frac{1}{4}$  sec. 14, 15, 22, & 23 from which a Beck 36 in dia beam West 17 miles dist and a Sugar 16 " " " N 7 E. 14 " "  
Sandy good for farming timber Sugar Beck 20

South On a Random line between Sec. 22, 23. T. N. 9 N. W. No 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

80.39 Intersected the E & W. 18 miles East of the post set for the cor. to Sec. 22, 23, 26, & 27.  
Cude soil and timber same as on the last mile.

North On the true line between Sec. 22 & 23. T. N. 9 N. W. No 2 W.

110.19 $\frac{1}{2}$  Set the temporary post at the av. dist on the true line for the cor. to  $\frac{1}{4}$  sec. from which a

Beck 7 in dia beam N 83 W. 17 miles dist; to  
Do 36 " " " N 70 E. 31 " "

80.39 To the first set for the cor. to Sec. 14, 15, 22, & 23.

West On a Random line between Sec. 15 & 22. T. N. 9. N. W. No 2 W.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

81.36 Intersected the N & S line 52 miles South of the post set for the cor. to Sec. 15, 16, 21, & 22  
Cude soil and timber same as on the last mile.

East On a true line between Sec. 15 & 22. T. N. 9 N. W. No 2 W.

40.68 Set the temporary post at the av. dist on the true line



T. N. 9. R. 27. 2<sup>nd</sup> Mer. (Ind. 2)

From the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 20 in dia bore N 32 E 10 miles dist; to  
 L 0 9 a n n N 52 7 13 a n n  
 81.36 To the first lot for the cor. to sec. 14, 15, 22, & 23.

September 17, 1815.

North Between Sec 11. & 12. T. N. 9. R. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beech 11 in dia bore S 7 7 9 miles dist; to  
 Sugar 6 a n n N 6 7 E. 15 a n n

80.00 Set a post for the cor. to sec. 1, 2, 11, & 12, from which  
 a Beech 16 in dia bore N 16 E 12 miles dist; to  
 Hick 18 a n n N 7 7 23 a n n  
 Land & Hilby made muddling for farming;  
 Timber Oak, Hick, Beech, Sugar, &c

East On a line from here between Sec. 1. & 12. T. N. 9. R.  
 N. 27.

10.00 To a small spring branch corner East.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

81.32 Into section the N. & S. line 22 miles North of the  
 first lot for the cor. to sec. N. 1 & 12.  
 Land & thin; Timber Beech Oak, & Spruce.

West On the true line between Sec. 1. & 12. T. N. 9. R.  
 N. 27.

40.00 Set the temporary post at the above. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Beech 10 in dia. bore N 42 7 7 47 miles dist;

L 0 5 a n n N 33 E. 22 a n n  
 81.32 To the first lot for the cor. to sec. 1, 2, 11, & 12.

September 19, 1815.

North Between Sec 14. & 15. T. N. 9. R. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Walnut 16 in dia bore N 60 E 20 miles dist;



*I. N. 9. N. H. N. 27. 2<sup>nd</sup> Mo.*

- Sugar 17 in dia base N 44 W 33 miles dist  
 73.00 To a Brook 50 miles wide; Course N. W.  
 80.00 Set a post for the cor. to Sub. 10. 11. 14 & 15 from which  
 a sugar 16 in dia base N 89 W. 33 miles dist; 10  
 W. Brook on a N 73 E. 10 a  
 Land good for farming; Timber Walnut Sugar  
 & Beech.

East On the true line between Sub. 10. & 15. I. N. 9. N.  
 N. H. N. 27.

- 14.50 To a Brook 60 miles wide; Course N. W.  
 40.00 Set a temporary post for the cor. to 14 sec.  
 42.50 To a Brook 30 miles wide; Course W.  
 81.24 Intersected the N. & S. line 10 1/2 miles South of the  
 post set for the cor. to Sub. 10. 11. 14 & 15.  
 Same soil and timber same as on the last run.

West On the true line between Sub. 10. & 15. I. N. 9.  
 N. H. N. 27.

- 40.62 Set the temporary post at the arm. dist on the true  
 line for the cor. to 14 sec. from which a  
 Sugar 15 in dia base N 27 E. 12 miles dist; 10  
 L. 4 a a a S 55 E 12 a a  
 81.24 To the post set for the cor. to Sub. 9. 10. 15 & 16.

East On the true line between Sub. 11 & 14. I. N. 9.  
 N. H. N. 27.

- 40.00 Set a temporary post for the concrete 14 sec.  
 80.19 Intersected the N. & S. line 11 miles South of the  
 post set for the cor. to Sub. 11. 12. 13 & 14.  
 Same soil and timber same as on the last run.

West On the true line between Sub. 11. & 14. I. N. 9. N.  
 N. H. N. 27.

- 40.09 1/2 Set the temporary post at the arm. dist on the true  
 line for the cor. to 14 sec. from which a

# T. N. 9. N. H. N. 27. 2<sup>nd</sup> Mer. (Ind. 2)

W. Walnut 16 in dia here S66 N. 26 miles dist; to  
 Birch 14 " " " N 14 E. 31 " "  
 80.19 To the post set for the cor. to Sep. 10. 11. 14. & 15

North Between Sep. 10. & 11. T. N. 9. N. H. N. 27.  
 36.00 To a Brook 25 miles wide; corner N.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 14 in dia here N 43 N. 2 miles dist; to  
 Do 4 " " " S 26 E 7 1/2 " "  
 80.00 Set a post for the cor. to Sep. 2. 3. 10. & 11. from which  
 on Oak 20 in dia here S 87 E. 21 miles dist; to  
 — 13 " " " N 77 N. 19 " "  
 Sand soil and timber same as on the last mile

W. On a Random line between Sep. 3 & 10. T. N. 9. N.  
 N. N. 27.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 45.00 To a Brook 60 miles wide; corner N.  
 80.50 Intersected the N. & S line 103 miles South of the  
 post set for the cor. to Sep. 3. 4. 9. 10.  
 Sand soil and timber same as on the last mile.

East On a true line between Sep. 3 & 10 T. N. 9. N. H.  
 N. 27.  
 40.25 Set the temporary post at the corner dist on the true line  
 for the cor. to 1/4 sec. from which a  
 Sugar 20 in dia here S 71 N. 9 miles dist; to  
 Do 14 " " " N 7 E. 22 " "  
 80.50 To the post set for the cor. to Sep. 2. 3. 10. & 11.

September 20. 1815

North Between Sep. 3 & 4 T. N. 9. N. H. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Birch 18 in dia here West 5 miles dist; to  
 Do 7 " " " S 68 N. 26 " "  
 45.48 Intersected the N. & S corner of corner N. 9 N.

T. N. 9. N. R. N. 27. 2nd Mer. (Ind. <sup>o</sup>)

N. N. 27. 322 links West of the post set for the  
cor. to sec. 33 & 34 T. N. 10. N. R. N. 27. and  
set a post for the cor. to sec. 3 & 4 from which  
Snowdrops 5 in dia base S 34 E. 6 links dist to  
Beck 18 a a a N 34 W. 23 a a a  
Sand soil and timber same as on the last side.

East On a Meridian line between Sec. N. 2 & 11. T. N. 9.  
N. R. N. 27.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.67 Intersect the N. & S. line 19 links South of the  
post set for the cor. to sec. 1, 2, 11, & 12.  
Sand soil and timber same as on the last side.

West On the true line between Sec. 2 & 11. T. N. 9. N. R.  
N. 27.

40.33 1/2 Set the temp. post at the av. dist on the true line  
for the cor. to 1/4 sec. from which  
Sugar 17 in dia base S 89 W. 14 links dist to  
Beck 11 a a a N 64 E. 29 a a a

80.67 To the post set for the cor. to sec. 2, 3, 10, 11.

North Between Sec. 1 & 2 T. N. 9. N. R. N. 27.

5.00 To a Brook 14 links mid; course N. W.

40.00 Set a post for the cor. to 1/4 sec from which  
Beck 16 in dia base S 23 W. 5 links dist to  
do 10 a a a N 15 E. 21 a a a

64.00 To a Brook 6 links mid; course S. E.

79.15 Intersect the N. (Boundary) of T. N. 9. N. R.  
N. 27. 178 links West of the post set for the  
cor. to sec. 35 & 36 T. N. 10. N. R. N. 27. and  
set a post for the cor. to sec. 1 & 2, from which  
Snowdrops 2 in dia base S 85 E. 3 links dist to  
do 3 a a a N 69 W. 8 a a a  
Sand Kelly and muddling grove for farming  
Timber Oak. Beech, Hard W. etc.

## T. No. 9. N. H. No. 27. 2nd Mer. (Ind.)

North Between Sec. 2 & 3. T. No. 9. N. H. No. 27.  
 39.00 To a Brook 50 miles min; hence N.  
 4000 Set apart for the cor. to the N. from which a  
 Beck 3 in. dia. bears - 56 N. 18 miles dist; to  
 Chapm 11 a. m. N 58 W. 25 a. m.  
 7825 Enter into the N. B. run at the T. No. 9. N. H. No. 2  
 N. 247 miles West of the West set for the cor. to the  
 34 & 35 T. No. 10. N. H. No. 27. made set apart  
 for the cor. to Sec. 2 & 3. from which a  
 Chapm 7 in. dia. bears S 79 E. 4 miles dist; to  
 Buckeye 10 a. m. S 8 W 16 a. m.  
 Land good for farming; Timber Ash, Sugar  
 and Buckeye.

Surveyed by  
 William Harris  
 Dep't Sur.

Certify that the foregoing transcript of the  
 field notes of Township No. 9. North of Range 3  
 No. 2 West of the 2nd Mer. (Indiana), has been  
 compared with the original notes in this Of-  
 fice and found to be correct.

Surveyor General Office.

Cincinnati, Dec. 28. 1839

E. S. Rains  
 Sur. Genl.